

No : SIG.CL.V.2025.23105036
Subject : Result of Analysis

Bogor, May 23, 2025

To :
PT. Mari Kita Segarkan
CBC Lot 12 Unit 18-19 Lt 1 Jl. Atang Sanjaya No. 21 RT 06/07 Kel. Benda, Kec. Cengkareng, Kota Tangerang Banten 15125

Dear Sir/Madam,
As your order no : SIG.MARK.E.V.2025.001179 , herewith we send the result of analysis.

Thank you for your cooperation.

Yours Faithfully,
PT. Saraswanti Indo Genetech



RB Ernesto Arya
GM
Sales & Marketing

This cover letter is not part of the test results report (LHU)

PT SARASWANTI INDO GENETECH
Graha SIG Jl. Rasamala No. 20 Taman Yasmin Bogor 16113
Tel. +62 251 7532 348 Hotline. +62 821 11 516 516
www.siglaboratory.com



RESULT OF ANALYSIS / LAPORAN HASIL UJI

- I. **Number / Nomor**
 - 1.1. Order No. / No. Order : SIG.MARK.E.V.2025.001179
 - 1.2. Certificate No. / No. sertifikat : SIG.LHP.V.2025.231050366
- II. **Principal / Pelanggan**
 - 2.1. Name / Nama : PT. Mari Kita Segarkan
 - 2.2. Address / Alamat : CBC Lot 12 Unit 18-19 Lt 1 Jl. Atang Sanjaya
No. 21 RT 06/07 Kel. Benda, Kec.
Cengkareng, Kota Tangerang Banten 15125
 - 2.3. Phone / Telepon : +6287776776671
 - 2.4. Contact Person / Personil Penghubung : Riski Hilmawan
- III. **Sample / Contoh Uji**
 - 3.1. Sample Code / Kode Sampel : -
 - 3.2. Batch Number / No Batch : -
 - 3.3. Lot Number / No Lot : -
 - 3.4. Packaging / Kemasan : -
 - 3.5. Production Date / Tanggal Produksi : -
 - 3.6. Expire Date / Tanggal Kadaluausa : -
 - 3.7. Factory Name / Nama Pabrik : -
 - 3.8. Factory Address / Alamat Pabrik : -
 - 3.9. Trade Mark / Nama Dagang : -
 - 3.10. Sample Name / Nama Sample : Red Yam
 - 3.11. Other Information / Keterangan Lain : -
 - 3.12. Date of Sampling / Tanggal Sampling : -
 - 3.13. Sampling Location / Lokasi Sampling : -
 - 3.14. Method Sampling / Metode Sampling : -
 - 3.15. Personnel Sampling / Personil Sampling : -
 - 3.16. Environmental Conditions / Kondisi Lingkungan : -
 - 3.17. Date of Acceptance / Diterima : May 14, 2025
 - 3.18. Date of Analysis / Tanggal Uji : May 14, 2025 - May 22, 2025
 - 3.19. Type of Analysis / Jenis Uji : Enclosed
 - 3.20. Laboratorium location / Lokasi laboratorium : Lokasi (Location) 1
- IV. **Result / Hasil Uji**

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

Result Of Analysis | Page 1 of 22

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

No	Parameter	Unit	Result	Limit Of Detection	Method
1	Beta-Carotene	mg / kg	0.43	-	18-5-40/MU/SMM-SIG (HPLC-PDA)
2	Total Sugar (Luff School)	%	2.28	-	18-8-8/MU (Luff School)
3	Diphenylamine	-	Negative	-	EN 15662:2018
4	Ametoctradin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
5	Dimethenamid-P	-	Negative	-	EN 15662:2018
6	Pyraclostrobin	-	Negative	-	EN 15662:2018
7	Pirimicarb	-	Negative	-	EN 15662:2018
8	Bifenazate	-	Negative	-	EN 15662:2018
9	Famoxadone	-	Negative	-	EN 15662:2018
10	Flubendiamide	-	Negative	-	EN 15662:2018
11	Fluopyram	-	Negative	-	EN 15662:2018
12	Indoxacarb	-	Negative	-	EN 15662:2018
13	Mandipropamid	-	Negative	-	EN 15662:2018
14	Metaflumizone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15	Methoxyfenozide	-	Negative	-	EN 15662:2018
16	Spirodiclofen	-	Negative	-	EN 15662:2018
17	Azoxystrobin	-	Negative	-	EN 15662:2018
18	Chlorantraniliprole	-	Negative	-	EN 15662:2018
19	Fluopicolide	-	Negative	-	EN 15662:2018
20	Penthiopyrad	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
21	Spirotetramate	-	Negative	-	EN 15662:2018
22	Thiamethoxam	-	Negative	-	EN 15662:2018
23	Emamectin Benzoate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24	Ethoprophos	-	Negative	-	EN 15662:2018
25	Fenpyroximate	-	Negative	-	EN 15662:2018
26	Flutriafol	-	Negative	-	EN 15662:2018
27	Fluxapyroxad	-	Negative	-	EN 15662:2018
28	Triadimefon	-	Negative	-	EN 15662:2018

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 2 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

29	Triadimenol	-	Negative	-	EN 15662:2018
30	Novaluron	-	Negative	-	EN 15662:2018
31	Oxydemeton-Methyl	-	Negative	-	EN 15662:2018
32	Phorate	-	Negative	-	EN 15662:2018
33	Phosmet	-	Negative	-	EN 15662:2018
34	Carbosulfan	-	Negative	-	EN 15662:2018
35	Cyproconazole	-	Negative	-	EN 15662:2018
36	Propiconazole	-	Negative	-	EN 15662:2018
37	Fenpropimorph	-	Negative	-	EN 15662:2018
38	MCPA	-	Negative	-	EN 15662:2018
39	Prothioconazole	-	Negative	-	EN 15662:2018
40	Etoazole	-	Negative	-	EN 15662:2018
41	Dicamba	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
42	Sedaxane	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
43	Meptyldinocap	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
44	Saflufenacil	-	Negative	-	EN 15662:2018
45	Methiocarb	-	Negative	-	EN 15662:2018
46	Cyfluthrin	-	Negative	-	EN 15662:2018
47	Hydrogen Phosphide	-	Negative	-	18-14-15/MU/SMM-SIG (GCMSMS)
48	Propoxur	-	Negative	-	EN 15662:2018
49	Isoprazam	-	Negative	-	EN 15662:2018
50	Alachlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
51	Atrazine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
52	Chlorotoluron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
53	Isoproturon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
54	Metolachlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
55	Molinate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
56	Pendimethalin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 3 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

57	Simazine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
58	Trifluralin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
59	Dichlorprop	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
60	Mecoprop	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
61	4-CPA	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
62	Acequinocyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
63	Acetochlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
64	Acibenzolar-S-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
65	Acifluorfen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
66	Ametryn	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
67	Aminocarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
68	Anilofos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
69	Asulam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
70	Azaconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
71	Azamethiphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
72	Azimsulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
73	Azinphos-Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
74	Benfuracarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
75	Benoxacor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
76	Benzoximate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
77	Bensulide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 4 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

78	Bifenox	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
79	Brodifacoum	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
80	Bromacil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
81	Bromadiolone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
82	Bromobutide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
83	Bupirimate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
84	Butafenacil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
85	Butoxycarboxim	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
86	Butralin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
87	Carbetamide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
88	Carbophenothion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
89	Carboxin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
90	Carpropamid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
91	Chlorbufam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
92	Chlorfluazuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
93	Chlorimuron-Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
94	Chloroxuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
95	Chlorsulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
96	Chlorthiophos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
97	Cinosulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
98	Clodinafop-Propargyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 5 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

99	Clomeprop	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
100	Coumaphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
101	Cumyluron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
102	Cyanazine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
103	Cyanofenphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
104	Cyazofamid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
105	Cycloate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
106	Cyhalofop-Butyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
107	Cymoxanil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
108	Daimuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
109	Dazomet	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
110	Demeton-S-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
111	Desmedipham	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
112	Dichlofenthion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
113	Allethrin	-	Negative	-	EN 15662:2018
114	Diclosulam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
115	Dicrotophos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
116	Diethofencarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
117	Difenoxyuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
118	Diiflufenican	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
119	Dimefuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 6 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

120	Dimepiperate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
121	Dimethachlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
122	Dimoxystrobin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
123	Dinitramine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
124	Dinoterb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
125	Dioxacarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
126	Dioxathion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
127	Diphenamid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
128	Ditalimfos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
129	Edifenphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
130	Eptc	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
131	Esprocarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
132	Etaconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
133	Ethiofencarb Sulfoxide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
134	Ethion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
135	Ethiprole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
136	Ethirimol	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
137	Ethoxysulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
138	Etobenzanid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
139	Fenamidone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
140	Fenazaquin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 7 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

14 1	Fenfuram	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 2	Fenoxanil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 3	Fenoxaprop-Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 4	Fenpropidin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 5	Fenuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 6	Flazasulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 7	Flonicamid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 8	Fluazinam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
14 9	Flucythrinate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 0	Flufenacet	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 1	Flufenoxuron	-	Negative	-	EN 15662:2018
15 2	Flumetsulam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 3	Flumioxazin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 4	Fluometuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 5	Fluoxastrobin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 6	Fluridone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 7	Fluroxypyr	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 8	Foramsulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
15 9	Forchlorfenuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 0	Fosthiazate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 1	Fuberidazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 8 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

16 2	Furalaxyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 3	Furmecyclox	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 4	Halfenprox	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 5	Halofenozide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 6	Heptenophos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 7	Hydramethylnon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 8	Imazaquin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
16 9	Imazethapyr	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 0	Imazosulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 1	Imibenconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 2	Imidan	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 3	Ioxynil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 4	Aminopyralid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 5	Ipconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 6	Iprobenfos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 7	Iprovalicarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 8	Isoprothiolane	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
17 9	Isoxaben	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 0	Isoxathion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 1	Fomesafen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 2	Lactofen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 9 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

18 3	Lenacil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 4	Linuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 5	Lufenuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 6	Malaoxon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 7	Mephosfolan	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 8	Mepronil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
18 9	Mesotrione	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 0	Metam-Sodium Dihydrate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 1	Metazachlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 2	Metconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 3	Methoprottryne	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 4	Metolcarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 5	Metosulam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 6	Metoxuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 7	Metrafenone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 8	Metribuzin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
19 9	Monolinuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
20 0	Monuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
20 1	Naled	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
20 2	Napropamide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
20 3	Neburon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 10 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

204	Norflurazon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
205	Ofurace	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
206	Omethoate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
207	Oryzalin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
208	Oxadiargyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
209	Oxadiazon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
210	Oxadixyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
211	Oxycarboxin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
212	Oxyfluorfen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
213	Parathion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
214	Pencycuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
215	Penoxsulam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
216	Pentachloronitrobenzene	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
217	Phoxim	-	Negative	-	EN 15662:2018
218	Picolinafen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
219	Picoxystrobin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
220	Pindone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
221	Pinoxaden	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
222	Prallethrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
223	Pretilachlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
224	Probenazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 11 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

22 5	Promecarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
22 6	Prometon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
22 7	Propachlor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
22 8	Propanil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
22 9	Propazine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 0	Propetamphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 1	Propham	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 2	Prosulfocarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 3	Pyracarbolid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 4	Pyraclofos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 5	Pyrazophos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 6	Pyridaben	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 7	Pyridate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 8	Pyroquilon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
23 9	Quinalphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 0	Quinmerac	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 1	Quinoclamine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 2	Piperophos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 3	Rotenone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 4	Secbumeton	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 5	Siduron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 12 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

24 6	Simetryn	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 7	Spiroxamine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 8	Sulfentrazone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
24 9	Sulfosulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 0	Sulfotep	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 1	Tebufenpyrad	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 2	Tebutam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 3	Terbacil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 4	Terbumeton	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 5	Terbuthylazine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 6	Tetrachlorvinphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 7	Tetraconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 8	Tetramethrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
25 9	Thiazopyr	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 0	Thidiazuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 1	Thiobencarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 2	Thiodicarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 3	Thiometon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 4	Thiophanate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 5	Thiophanate-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 6	Tralkoxydim	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 13 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

26 7	Resmethrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 8	Rimsulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
26 9	Triasulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 0	Tribenuron-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 1	Triclopyr	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 2	Tricyclazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 3	Triflumizole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 4	Triflumuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 5	Triflusulfuron-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 6	Trinexapac-Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 7	Triticonazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 8	Xmc	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
27 9	Fluquinconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
28 0	Hexaflumuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
28 1	Isazophos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
28 2	Mepanipyrim	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
28 3	Pentoxazone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
28 4	Propaquizafop	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
28 5	Fenthion	-	Negative	-	EN 15662:2018
28 6	Fipronil	-	Negative	-	EN 15662:2018
28 7	Methacrifos	-	Negative	-	EN 15662:2018

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 14 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

28 8	Mevinphos	-	Negative	-	EN 15662:2018
28 9	Monocrotophos	-	Negative	-	EN 15662:2018
29 0	Profenofos	-	Negative	-	EN 15662:2018
29 1	Warfarin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 2	(6E)-1,7-Diphenyl-6-Hepten-3-ol	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 3	(E)-Chlorfenvinfos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 4	(Z)-Chlorfenvinfos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 5	16A-Hydroxyandrost-4-Ene-3,17-Dione	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 6	2,3,5,6-Tetrachloronitrobenzene (Tecnazene)	-	Negative	-	EN 15662:2018
29 7	2,4,5 Trimethylaniline	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 8	2,4,5-T	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
29 9	2-Hexyl-5-[2-(4-Hydroxy-3-Methoxyphenyl)Ethyl]Furan	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 0	3-Hydroxy Carbofuran	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 1	Aldicarb Sulfoxide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 2	Aldoxycarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 3	Atrazine-Desethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 4	Barban	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 5	Benthiavalcab	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 6	Betha-Cyfluthrin	-	Negative	-	EN 15662:2018
30 7	Bioallethrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
30 8	Bromophos Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

Result Of Analysis | Page 15 of 22

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

309	Bromoxynil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
310	Bromuconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
311	Butocarboxim	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
312	Butocarboxim-Sulfoxide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
313	Carbofuran 3-Keto	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
314	Caumaphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
315	Chinomethionate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
316	Chloridazon	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
317	Chlorpyrifos (Ethyl)	-	Negative	-	EN 15662:2018
318	Clodinafop Acid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
319	Clomazone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
320	Cloquintocet-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
321	Crotoxyphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
322	Cyclaniliprole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
323	Cyflufenamide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
324	Cypermethrin-Alpha	-	Negative	-	EN 15662:2018
325	Cyphenothrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
326	Cyromazine	-	Negative	-	EN 15662:2018
327	Deet (Off)	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
328	Demeton-S-Methyl Sulphone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
329	Desmethyl-Pirimicarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

Result Of Analysis | Page 16 of 22

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

330	Dialiphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
331	Di-Allate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
332	Diclobutrazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
333	Diclofop-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
334	Dimethyl Disulfide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
335	Dimethyl Trisulfide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
336	Dimethyltetrasulphide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
337	Diniconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
338	Dipropyldisulphide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
339	Dipropyltrisulphide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
340	Disulfoton-Sulfone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
341	Disulfoton-Sulfoxide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
342	Dithyopyr	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
343	Diuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
344	Dmst	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
345	Epn	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
346	Epoxiconazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
347	Ethifencarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
348	Ethiofencarb-Sulfone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
349	Ethofenprox	-	Negative	-	EN 15662:2018
350	Etridiazole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

Result Of Analysis | Page 17 of 22

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

35 1	Etrimphos	-	Negative	-	EN 15662:2018
35 2	Fenamiphos-Sulfone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 3	Fenamiphos-Sulfoxide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 4	Fenothiocarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 5	Fenoxycarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 6	Fenpicoxamid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 7	Fenpyrazamine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 8	Fenthion-Sulfone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
35 9	Fenthion-Sulfoxide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 0	Florasuram	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 1	Fluazifop-P-Buthyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 2	Fluroxypyr-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 3	Fonofos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 4	Formetanate HCL	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 5	Hexazinone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 6	Isofenphos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 7	Isofenphos-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 8	Isoxaflutole	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
36 9	Linanyl Cinnamate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 0	MCP	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 1	Mefenacet	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 18 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

37 2	Mefenoxam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 3	Methabenzthiazuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 4	Methiocarb Sulfone	-	Negative	-	EN 15662:2018
37 5	Metobromuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 6	Nitrothal-Isopropil	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 7	Nuarimol	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
37 8	O,P'-DDT	-	Negative	-	EN 15662:2018
37 9	O-Phenylphenol	-	Negative	-	EN 15662:2018
38 0	Paclobutrazol	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 1	Paraoxon Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 2	Paraoxon Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 3	Phenmedipam	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 4	Phenothrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 5	Pirimicarb Desmethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 6	Pirimiphos-Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 7	Pirimiphos-Methyl	-	Negative	-	EN 15662:2018
38 8	Polycarbamate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
38 9	Prometryne	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 0	Propyzamide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 1	Proquinazide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 2	Prosulfuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 19 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

39 3	Prothiofos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 4	Pymetrozine	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 5	Pyraflufen Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 6	Pyrethrins	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 7	Pyributicarb	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 8	Pyridafenthion	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
39 9	Quizalofop-Ethyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 0	Sebuthylazin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 1	Silafluofen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 2	Spinosad	-	Negative	-	EN 15662:2018
40 3	Spinosyn A	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 4	Spinosyn D	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 5	Sulprofos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 6	Tebuthiuron	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 7	Temephos	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 8	Tepaloxymid	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
40 9	Terbufos-Sulfone	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 0	Terbutryn	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 1	Thifensulfuron-Methyl	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 2	Tralomethrin	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 3	Tri-Allate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

Result Of Analysis | Page 20 of 22

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

41 4	Valifenalate	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 5	Chlorfenapyr	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 6	Daminozide	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 7	Spiromesifen	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 8	Sulfoxaflor	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
41 9	Penthoate	-	Negative	-	EN 15662:2018
42 0	Esfenvalerate	-	Negative	-	EN 15662:2018
42 1	Folpet	-	Negative	-	18-16-5/MU/SMM-SIG (LCMS/MS) QTOF
42 2	Biphenyl	-	Negative	-	18-14-15/MU/SMM-SIG (GCMSMS)
42 3	Moisture Content	%	78.21	-	SNI 01-2891-1992 butir 5.1
42 4	Protein Content	%	1.07	-	18-8-31/MU (Titrimetri)
42 5	Total Plate Count (TPC)	colony / g	1.9x10 ⁴	-	ISO 4833-1:2013 Amd 1:2022
42 6	Paraquat	mg / kg	Not detected	0.005	18-12-2-7/MU/SMM-SIG (LC-MSMS)
42 7	Glyphosate	mg / kg	Not detected	0.5	18-12-28/MU/SMM-SIG (LC-MSMS)
42 8	Mancozeb	mg / kg	0.009	-	18-5-177/MU

SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

Result Of Analysis | Page 21 of 22

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech

Bogor, May 23, 2025
PT. Saraswanti Indo Genetech



Dwi Yulianto Laksono, S.Si
General Laboratory Manager



SIG Laboratory (1st Location)
Graha SIG Jl. Rasamala No. 20 Taman
Yasmin Bogor 16113
Phone. +62 251 7532 348

SIG Laboratory (3rd Location)
Jl. Raya Cifor RT 03 RW 08
Bubulak Bogor 16115,
Phone : +62 251 8471696

SIG Laboratory (2nd Location)
Jl. Semeru B Ruko No.21
Menteng Bogor 16111,
Phone : +62 251 8570078

SIG Laboratory (4th Location)
Jl. Kanfer Raya Blok R No. 4 Pedalangan, Kec.
Banyumanik, Semarang, Jawa Tengah 50268,
Phone : +62 24 70040541

Result Of Analysis | Page 22 of 22

The results of these tests relate only to the sample(s) submitted.
This report shall not be reproduced except in full context,
without the written approval of PT. Saraswanti Indo Genetech